

The best homes leave a lasting impression.

NORTHEAST MULTIFAMILY COLOR & PRODUCT AVAILABILITY

Build with the best to protect the beauty of your project.


TRUSTED PROTECTION WITH HARDIE® FIBER CEMENT.

	HARDIE® SIDING	VINYL SIDING	WOOD-BASED SIDING
Will not burn; noncombustible**	✓	⊘	⊘
Will not melt	✓	⊘	✓
Does not appeal to pests	✓	✓	⊘
Hail and impact resistant	✓	⊘	✓
Resistant to warping, shrinking, and swelling	✓	⊘	⊘
Easily painted	✓	⊘	✓
Real wood look and feel	✓	⊘	✓

Warm woodgrain texture without the cost and high maintenance of real wood.

5x thicker than vinyl siding provides deep shadow lines and less visible seams.

ColorPlus® Technology finishes are baked on at the factory for a long-lasting consistent finish.



All Hardie® fiber cement products come with a transferable 30-year, non-prorated limited substrate warranty, meaning we stand 100% behind Hardie® fiber cement siding, trim and soffit products for 30 years.

ColorPlus® Technology finishes come with a 15-year limited warranty.

30-YEAR, NON-PRORATED SIDING, TRIM AND SOFFIT SUBSTRATE WARRANTY COVERAGE BY JAMES HARDIE

100% Year 10 · 100% Year 20 · 100% Year 30

Scan to learn more about the lifetime value of Hardie® products.

Complete Exterior™ by James Hardie

ONE MATERIAL

Only Hardie® fiber cement products are **Engineered for Climate®**, resisting damage from fire, water, and insects and delivering optimal performance for your project's specific region.

ONE SOURCE

Hardie® is the #1 brand of siding in North America, and our products are proudly made in the USA at one of our 11 manufacturing sites—meaning you can count on your product when you need it.

ONE WARRANTY

Rest easy knowing that all your siding, trim and soffit is backed with a 30-year non-prorated warranty from a single trusted manufacturer. One manufacturer to contact makes your life easier, giving you more time to enjoy your home.

(from cover) * Based on Freedonia 2022 Global Siding (Cladding) demand estimates and James Hardie sales in North America.
** Hardie® fiber cement products are noncombustible and/or have a Class A fire rating when tested in accordance with ASTM E84. Fiber cement fire resistance does not extend to applied paints or coatings, which may be damaged or char when exposed to flames. The use of noncombustible siding, combined with other fire mitigation measures, may help harden a home against external fire.







Unmatched performance & protection.

Fire

Help prepare your project for the unpredictable with noncombustible siding that won't burn or ignite when exposed to a direct flame.

- Verified noncombustible per ASTM E136
- Will not contribute fuel to a fire
- Class A fire rated per ASTM E84, with a flame spread index / smoke developed index of less than 0/5
- Verified in wall assemblies with 1-hour and 2-hour fire-ratings per ASTM E119

Water

Hardie® products are specifically engineered to resist damage from moisture and rot, and will hold their own, come rain, sleet, or snow.

- FEMA Class 5 flood damage resistance (highest rating)
- Rated for use in High Velocity Hurricane zones by Miami-Dade County, Florida*

*Applies to most products by James Hardie.
For full list go to: www.jameshardie.com/miami-dade-NOA

Pests

Creatures can wreak havoc on wood-based siding. It can be pecked by birds or be damaged by woodpeckers, termites and other pests. Hardie® fiber cement holds little appeal for these critters, saving you the maintenance hassle.

Watch our durability videos.

Building a Better Future for All™.



At James Hardie, we pride ourselves on providing products that help craft more resilient, durable homes and buildings. Our commitment starts with our people, who are putting sustainability into action. Their relentless pursuit of innovation is helping to develop technology that lessens the impact of our products, reduces waste from our operations and recycles water used in our plants. At the same time, our people work hard to strengthen our supply chain, promote safety and contribute to our communities. From our front-line employees, to our customers, to the homeowners who enjoy our beautiful and durable products, sustainability and resilience are key components to fulfilling our purpose of **Building a Better Future for All™**.

Scan code to find out more about our sustainability efforts.

SUPPORTING COMMUNITIES WORLDWIDE

We are developing resilient building solutions that do right by our shared planet as well as support communities where our products are used and where our team of more than 5,800 global employees live and work. From our employees to our senior leaders, everyone is empowered to drive change and impact in their communities. Our culture emphasizes thinking globally while acting locally.

MAKING AN IMPACT

CONTRIBUTED

$1.65B

To communities in which we operate

HIRED

93%

From the local communities in which we operate

SOURCED

81%

Of raw materials locally

DELIVERED

65%

Of manufactured products within 500 miles

Above statistics are the James Hardie impact from fiscal year 2025.

OUR FOUNDATION FOR BUILDING A BOLD AND BRIGHT FUTURE

Reducing Scope 1+2 Emissions
Reduce absolute Scope 1+2 GHG emissions by 42% by 2030 from 2021 baseline and work towards net zero by 2050

Minimizing Waste
Zero manufacturing waste to landfill by 2035

Recycling Water
Recycle an additional 20M cubic feet of water per year by 2030, compared to 2019

Hardie® Plank

Hardie® Plank is the perfect siding for your building, with the durability and long-lasting beauty that can transform the exterior. With a variety of colors, textures, and sizes, you'll discover a Hardie® Plank style that enhances the aesthetic.



Hardie® Plank Boothbay Blue



Hardie® Plank
Smooth



Hardie® Plank
Select Cedarmill®



Hardie® Plank
Beaded Smooth



Hardie® Plank
Beaded Select Cedarmill®

Hardie® Shingle

Elevate your design. Hardie® Shingle embodies the enchanting look of cedar with lower maintenance. You can create stunning exterior style using Hardie® Shingle around an entire building, or place it in accent areas for an added boost of charm.



Hardie® Shingle
Straight Edge Panel



Hardie® Shingle
Staggered Edge Panel



Hardie® Shingle Straight Edge Boothbay Blue
Hardie® Plank Light Mist

Hardie® Panel

Hardie® Panel delivers style and substance. When combined with Hardie® Trim Batten, it achieves the rustic board-and-batten look that defines your charming cottage or modern farmhouse. Its crisp, clean lines and ability to pair beautifully with other siding products make Hardie® Panel a smart choice for any buliding.



Hardie® Panel & Hardie® Trim Batten
Evening Blue



Hardie® Panel
Select Cedarmill®



Hardie® Panel
Smooth



Hardie® Panel
Stucco



Hardie® Panel
Sierra 8

Hardie® Trim

Hardie® Trim provides design flexibility for columns, friezes, doors, windows and other accent areas. More durable than wood, Hardie® Trim is the perfect option for a building that stands the test of time. Hardie® Trim is a low maintenance and durable accent for your exterior.

Hardie® Trim
Smooth



Hardie® Trim
Roughsawn



Hardie® Plank Night Gray
Hardie® Trim Arctic White



Hardie® Panel & Hardie® Trim Batten

Hardie® Trim Batten

Hardie® Trim Batten
Smooth




Hardie® Trim Batten
Rustic Grain

Hardie® Soffit

A building is only as strong as its most vulnerable areas. With Hardie® Soffit panel, you can be confident knowing that the gap between eaves and exterior walls is covered. These panels complete your look and resist damage from moisture and pests.



Hardie® Soffit Vented Smooth
Paper White



Hardie® Soffit Non-Vented
Smooth



Hardie® Soffit Vented
Smooth

Hardie® Soffit Non-Vented
Select Cedarmill®



Hardie® Soffit Vented
Select Cedarmill®

Hardie® Artisan® Siding & Trim

Offering gorgeous, deep shadow lines and extra thick boards, Hardie® Artisan® Siding will set your building apart. The 5/8-inch thickness and unique features of Hardie® Artisan® Siding provide precise fit and finish, vertical installation, as well as the freedom to miter corners for attractive, streamlined styling.





Hardie® Artisan® Siding
Lap Siding



MITERED CORNERS

Add sophistication to your design with mitered corners that can be crafted on-site with any Hardie® Artisan® Siding profile.



LOCK JOINT SYSTEM

Hardie® Artisan® Siding flat wall profiles have a lock joint system that helps enable faster, cleaner installation.



DESIGN FLEXIBILITY

Hardie® Artisan® Siding flat wall profiles can be oriented vertically, horizontally or used as soffit.

Flat wall profiles



Lap Siding



Trim



Shiplap



Square Channel



V-Groove

All Hardie® Artisan® products come with a primed finish and a smooth texture



Hardie® Architectural Panel
Fine Sand & Metal Trims

Hardie® Architectural Panel

Going beyond wood-look designs, the clean lines of Hardie® Architectural Panel can help achieve a range of styles from traditional to more modern looks. Infuse your exterior with nature-inspired textures and stucco inspired designs. Mix and match with other Hardie® products to create a truly unique design that speaks to your aesthetic.



Sea Grass
Gentle, linear pattern with a dynamic finish



Fine Sand
Even texture with a consistent finish

All Hardie® Architectural Panel products come with a primed finish

Hardie™ Architectural Metal Trim

Transition Trim

Low Profile Inside Corner Transition	Use for transition from panel siding to lap siding on an inside corner.
2-piece J Trim	Use at openings, edges of panels & at metal trim transitions.
Low Profile Outside Corner Transition	Use for transition from panel siding to lap siding on an outside corner.
J Trim	Use as a trim at abutments (e.g. soffit, masonry, windows, etc.).
Vertical Siding H-Mold Transition	Cover vertical joints where you transition from panel siding to lap siding.

Joint & End Trim

Vertical Y Trim	Use along vertical butt joints.
Vertical H Trim	
Vertical T Trim	
Low Profile Horizontal Z Trim	Use along horizontal control joints.
Horizontal Z Flashing Trim	
Horizontal Angled T Flashing Trim	

Corner Trim

Low Profile Inside Corner Trim	Use for corners.
Inside Corner Trim	
Low Profile Outside Corner Trim	
Low Profile 45° Inside Corner Trim	Use for bay windows.
Low Profile 45° Outside Corner Trim	

Base Trim

Raised Reveal Base Trim	Reveal & ledge to rest panels.
L Base Trim	Low profile starter strip.


Statement Collection® Color Availability


Hardie® Plank, Hardie® Panel, Hardie® Shingle & Hardie® Trim Batten Color Offering

ARCTIC WHITE


COBBLE STONE



NAVAJO BEIGE


KHAKI BROWN


MONTEREY TAUPE


PEARL GRAY


TIMBER BARK



RICH ESPRESSO



MOUNTAIN SAGE


GRAY SLATE


LIGHT MIST



BOOTHBAY BLUE


NIGHT GRAY


EVENING BLUE


DEEP OCEAN


AGED PEWTER


IRON GRAY


COUNTRYLANE RED


MIDNIGHT BLACK

Order samples at
jameshardie.com/samples

Hardie® Trim Color Offering

ARCTIC WHITE


COBBLE STONE


TIMBER BARK


MONTEREY TAUPE


PEARL GRAY


AGED PEWTER


EVENING BLUE


IRON GRAY


RICH ESPRESSO


MIDNIGHT BLACK

Hardie® Soffit Color Offering

ARCTIC WHITE


COBBLE STONE


TIMBER BARK


IRON GRAY


MIDNIGHT BLACK

Colors shown are as accurate as printing methods will permit. Go to jameshardie.com to order a color sample.


Hardie® Plank
Walnut


Hardie® Plank
Hickory

TimberHue™ Collection

COMING SOON

TWO-TONE SIDING. ONE NATURAL LOOK.

The TimberHue™ Collection by James Hardie honors wood's legacy with a rich, authentic grain and two-tone finish that provides the warmth of a stained wood look, matched with the durability and low maintenance of Hardie® fiber cement products and ColorPlus® Technology finishes.

The TimberHue™ Collection can be mixed with other Hardie® products for a modern, mixed-material aesthetic or used as an accent to highlight architectural features. Its curated palette—ranging from warm chestnuts to cool greys—reflects today's design trends while maintaining timeless appeal. Each of the eight colors was hand-selected by design experts to create a warm, welcoming exterior that feels both natural and elevated.

AVAILABLE IN:

Hardie® Plank	**Thickness:** 5/16 in.	**Length:** 12 ft.
Width	6.25 in.	8.25 in.
Exposure	5 in.	7 in.


White Birch


Weathered Oak


Hickory


Ash

Chestnut

Hawthorn

Walnut

Ebony Forest

Initial regional availability may vary

COLORPLUS® TECHNOLOGY FINISHES





Take pride in timeless beauty.

PRIMER

A quality primer is the first step to ensuring that the paint color you select expresses your home's true beauty now – and for years to come. Our distinctive primer is climate tested and engineered to enhance the performance of paint on Hardie® fiber cement exterior solutions. It helps to provide consistent, long lasting paint adhesion, even in demanding conditions.


COLORPLUS® TECHNOLOGY

ColorPlus® Technology finishes are fully cured on our boards in a controlled factory environment and arrive at your home ready for installation year-round. With prefinished color products, you'll have peace of mind, knowing you'll have a more consistent color and finish that doesn't depend on good weather.

With a variety of design options available, whether different colors or our new two-tone finishes, ColorPlus® Technology finishes help you bring your vision to life and keep your home looking beautiful longer.

- **Exceptional finish adhesion**
- **Superior color retention**
- **Superior UV resistance**
- **New Two-Tone Technology**

Find the perfect finish for your home.



Primed



Statement Collection®



Dream Collection®



TimberHue™ Collection

ColorPlus® Technology Finishes

Primed & ready to paint	Your region's most popular colors	Nearly 700 finish options	8 two-tone stained wood look colors
Regionally stocked & readily available	Regionally stocked & readily available	Made to order in a wide variety of siding & trim styles (Made specifically for you, products may incur additional cost and lead time.)	Regionally stocked & readily available *Initial regional availability may vary.

NORTHEAST EXTERIOR PRODUCT AVAILABILITY

Hardie® Plank — Thickness 5/16 in.

	Primed	Statement Collection®	TimberHue™ Collection	Dream Collection®	Exposure	Primed Pcs/Pallet	ColorPlus® Pcs/Pallet	Pcs/Sq.
12 ft. x 5.25 in.	●●	●●		●●	4 in.	360	324	25.0
12 ft. x 6.25 in.	●●	●●	●	●●	5 in.	308	280	20.0
12 ft. x 7.25 in.	●●	●●		●●	6 in.	252	252	16.7
12 ft. x 8.25 in.	●●	●●	●	●●	7 in.	230	210	14.3
12 ft. x 9.25 in.	●●				8 in.	190	-	12.5
12 ft. x 12 in.	●●				10.75 in.	152	-	9.3

Hardie® Plank - Beaded — Thickness 5/16 in.

12 ft. x 8.25 in.	●●			●●	7 in.	230	-	14.3

Hardie® Shingle - Straight Edge Panel — Thickness 1/4 in.

48 in. x 14 in.		●		●	5 in.	-	120	60.0
48 in. x 15.25 in.	●	●		●	7 in.	86	86	43.0

Hardie® Shingle - Staggered Edge Panel — Thickness 1/4 in.

48 in. x 15.25 in.	●	●		●	6 in.	100	100	50.0

Hardie® Panel — Thickness 5/16 in.

4 ft. x 8 ft.	●●	●●		●●	-	50	50	3.1
4 ft. x 9 ft.	●●				-	50	-	3.1
4 ft. x 10 ft.	●●	●●		●●	-	50	50	2.5

Hardie® Panel - Stucco — Thickness 5/16 in.

4 ft. x 8 ft.	●			●	-	50	-	3.1
4 ft. x 9 ft.	●				-	50	-	2.8
4 ft. x 10 ft.	●			●	-	50	-	2.5

Hardie® Panel - Sierra 8 — Thickness 5/16 in.

4 ft. x 8 ft.	●				-	50	-	3.1
4 ft. x 9 ft.	●				-	50	-	3.1
4 ft. x 10 ft.	●				-	50	-	2.5

4/4 Hardie® Trim — Thickness 3/4 in.

	Primed	Statement Collection®	Dream Collection®	Primed Pcs/Pallet	Arctic White Pcs/Pallet	ColorPlus® Pcs/Pallet	Pcs/Sq.
12 ft. x 3.5 in.	●●	●●*	●●	312	312	144	28.6
12 ft. x 5.5 in.	●●	●●*	●●	208	208	96	18.2
12 ft. x 7.25 in.	●●	●●*	●●	156	156	72	13.8
12 ft. x 9.25 in.	●●	●●*	●●	104	104	48	10.8
12 ft. x 11.25 in.	●●	●●*	●●	104	104	48	8.9

*Roughsawn is only available in Arctic White

5/4 Hardie® Trim — Thickness 1 in.

12 ft. x 3.5 in.	●●	●●*	●●	240	240	120	28.6
12 ft. x 4.5 in.	●●	●	●●	200	200	100	22.2
12 ft. x 5.5 in.	●●	●●*	●●	160	160	80	18.2
12 ft. x 7.25 in.	●●	●●*	●●	120	120	60	13.8
12 ft. x 9.25 in.	●●	●●*	●●	80	80	40	10.8
12 ft. x 11.25 in.	●●	●●*	●●	80	80	40	8.9

*Roughsawn is only available in Arctic White

Hardie® Trim Batten — Thickness 3/4 in.

12 ft. x 2.5 in.	●●	●●	●●	437	190	190	40

Hardie® Soffit - Vented — Thickness 1/4 in.

12 ft. x 12 in.	●●	●●	●●	200	216	104	8.3
12 ft. x 16 in.	●●	●●	●●	150	156	78	6.3
8 ft. x 24 in.	●●	●●	●●	100	108	52	6.3

Hardie® Soffit - Non-Vented — Thickness 1/4 in.

12 ft. x 12 in.	●●	●●	●●	200	216	104	8.3
12 ft. x 16 in.	●●	●●	●●	150	156	78	6.3
8 ft. x 24 in.	●●	●●	●●	100	108	52	6.3
8 ft. x 48 in.	●●			50	-	-	3.1

JamesHardie™

Product Texture Key Smooth • Textured •

Hardie® Artisan® Siding

	Primed	Exposure	Pcs/Pallet	Pcs/Sq.
Lap Siding - Thickness 5/8 in.				
12 ft. x 7.25 in.	•	6 in.	144	16.7
12 ft. x 8.25 in.	•	7 in.	125	14.3
V-Groove - Thickness 5/8 in.				
12 ft. x 8.25 in.	•	7 in.	126	14.3
Shiplap - Thickness 5/8 in.				
12 ft. x 10.25 in.	•	9 in.	105	11.1
Square Channel - Thickness 5/8 in.				
12 ft. x 10.25 in.	•	9 in.	105	11.1
Trim - Thickness 1.5 in.				
12 ft. x 3.5 in.	•	-	192	28.6
12 ft. x 5.5 in.	•	-	120	18.2

Hardie® Architectural Panel

	Primed	Pcs/Pallet	Pcs/Sq.
Fine Sand - Thickness 5/16 in.			
4 ft. x 8 ft.	•	50	3.1
4 ft. x 10 ft.	•	50	3.2
4 ft. x 12 ft.	•	40	2.5
Sea Grass - Thickness 5/16 in.			
4 ft. x 8 ft.	•	50	3.1
4 ft. x 10 ft.	•	50	3.2
4 ft. x 12 ft.	•	40	2.5

All Hardie® Architectural Panels now have a flat edge.

Hardie™ Architectural Metal Trim - Length 10 ft

Transition Trim	Qty
J Trim	25
2-piece J Trim	25
Low Profile Outside Corner Transition	10
Low Profile Inside Corner Transition	10
Vertical H-Mold Transition	25

Base Trim	
Raised Reveal Base Trim	15
L Base Trim	25

Joint & End Trim	Qty
Vertical Y Trim	15
Vertical T Trim	25
Vertical H Trim	25
Low Profile Horizontal Z Trim	25
Horizontal Z Flashing Trim	25
Horizontal Angled T Flashing Trim	25

Corner Trim	Qty
Inside Corner Trim	10
Low Profile 45° Inside Corner Trim	10
Low Profile Inside Corner Trim	10
Low Profile 45° Outside Corner Trim	10
Low Profile Outside Corner Trim	10

Hardie™ Moisture Management Products

Hardie™ Flex Flashing Thickness 60 mil.

75 ft. x 6 in. | 75 ft. x 9 in.

Hardie™ Pro-Flashing Thickness 20 mil.

75 ft. x 4 in. | 75 ft. x 6 in. | 75 ft. x 9 in.

Hardie™ Seam Tape Thickness 3.2 mil.

165 ft. x 1 7/8 in.

Hardie™ Weather Barrier Thickness 11 mil.

100 ft. x 3 ft. | 100 ft. x 9 ft. | 150 ft. x 9 ft.

INSTALLATION ACCESSORIES



Touch-Up Kits for ColorPlus® Technology finishes



OSI® QUAD® MAX Color-Matched Caulk*



Hardie™ Blade Saw Blades



PacTool® Gecko Gauge

Joint Flashing - Adding flashing behind butt joints provides an extra level of protection against the entry of water at the joint.

Hardie™ Trim Flat Tabs - Eliminate face nails and improve the aesthetic of trim applications around windows, doors and band boards.

Hardie™ Trim Corner Tabs - To eliminate face nail holes that would detract from the finished look of corner trim installations.



*For matching Dream Collection® products, contact your local James Hardie representative.
OSI, QUAD MAX, Diablo, PacTool and PacTool Gecko Gauge are trademarks of their respective owners.

Hardie® Backer Board

What goes behind the tile matters. Choose Hardie® Backer Board.

Every quality tile job should start with the best tile underlayment: the industry-defining fiber cement innovation, Hardie® Backer Board.

Chosen in over 40 million kitchens and bathrooms*, it's the #1 best-selling tile backer board among trade pros** for a reason. Hardie® Backer Board is the time-tested performance backer that resists cracking under pressure and keeps tile in place.



SUPERIOR STRENGTH
Provides support under pressure and weight.

EXCELLENT GRIP
Keeps tiles in place.

MOISTURE RESISTANT
Helps inhibit water intrusion and engineered with MoldBlock® Technology.

Hardie® Backer Board Products



Hardie® Backer Cement Board with EZ Grid® recessed pattern .25 in.

Ideal for Floors and Countertops

.25 in. Thick | 3 ft. x 5 ft. **.25 in. Thick | 4 ft. x 8 ft.**



Hardie® Backer Cement Board .42 in.

Ideal for Walls and Backsplashes

.42 in. Thick | 3 ft. x 5 ft.

GREENGUARD GOLD — PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818

LIMITED LIFETIME WARRANTY

MADE IN USA

* Estimate based on Hardie® Backer sales volume and average tile area in a kitchen or bathroom.
** Based on 2024 Principia survey of backer board sales. remodel project (Principia, 2025).



JamesHardie™ | What The Best Are Made Of™ **1.888.542.7343** | **jameshardie.com**

©2026 James Hardie Building Products Inc. All rights reserved. Unless otherwise noted, ™ and ® denote a trademark or registered mark owned by James Hardie Technology Ltd. HS2601-NE-MF 4/26